





NEW Elastoflex SA V Polar Base and Elastoflex SA P Polar Cap, low-temperature SBS (elastomeric) membranes designed for cold weather applications (25° F - 60° F). Manufactured using our patented ADESO® Dual-Compound Self-Adhered Technology, a high-quality Styrene-Butadiene-Stryene modified asphalt compound is applied on the top layer and an aggressive self-adhesive compound is applied on the bottom side of the reinforcement.



### Elastoflex SA V Polar Base™

- Suitable for cold weather climates
- Base or interply for self-adhered and torch multi-ply systems
- High performance fiberglass reinforcement
- Excellent long-term adhesion
- Low temp flexibility

### Elastoflex SA P Polar Cap™

- Features SEALLap<sup>®</sup> ULTRA, side lap with self-adhesive compound for an instant bond, tested stronger than all other application methods and FASTLap<sup>®</sup>, granule-free end lap
- Reinforced with polyester mat for excellent puncture and tear resistance
- Suitable for cold weather climates
- Applied without open-flame torches, solvent-based adhesives or hot-asphalt, all which may be undesirable and/or prohibited
- UV stabilized, long-lasting granule surfacing
- Available in 2 colors: Black, White

## Elastoflex SA P Polar Cap Sheet Color Options



#### WHITE




**BLACK** 





# Elastoflex SA V Polar Base and Elastoflex SA P Polar Cap

Designed for cold weather applications, manufactured using patented ADESO® Self-Adhered Technology.





#### **POLYGLASS U.S.A., Inc.**

1111 West Newport Center Drive Deerfield Beach, FL 33442 pgmarketing@polyglass.com Customer Service: (800) 222-9782

polyglass.us

© 2019 Polyglass U.S.A., Inc. All rights reserved.