



# PRODUCT CATALOG

► The Choice of Top Professionals®



*Con información en español*

# ROOF & FLASHING CEMENTS

CEMENTOS PARA FLASHINGS Y TECHOS



## APOC 100 Pro-Gel® Plastic Roof Cement

Thick Trowel Grade  
Heavy Bodied for Warmer Climates

*Espeso, aplicación con paleta  
Consistencia robusta para climas calurosos*

- COMPLIANCE:
- ASTM D4586
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 109 Rain-Proof® Wet/Dry Roof Cement

Light Trowel Grade  
Stops Leaks on Wet Surfaces

*Calidad de aplicación liviana aplicado con paleta  
Detiene las goteras en las superficies mojadas*

- COMPLIANCE:
- ASTM D4586
  - ASTM D3409
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



\*\*Available in: SG, IG, WG



## APOC 122 Roof-Proof™ All Weather Flashing Cement

Premium Grade Flashing Cement  
Easy Spread for Flat, Vertical & Wet Surfaces

*Cemento de primera calidad para flashing  
Fácil de aplicar en superficies planas, verticales y mojadas*

- COMPLIANCE:
- ASTM D4586
  - ASTM D3409
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



\*\*Available in: SG, IG, WG



## Incredible® Tape Black, Fleece Top, & White

Metal Roof Flashings  
Single Ply Seams & Repair

*Tapajuntas Metálicas de Techos  
Cinta Simple que Sella y Repara*

Available Widths: 12", 6", 4", 2"

# RUBBERIZED FLASHING CEMENTS

CEMENTOS ENGOMADOS PARA FLASHING



## Black Gold® 115 Liquid Rubber Flashing Cement

Premium SBS Modified Cement  
E-Z Spread Formula & Bonds Underwater

*Cemento SBS Premium Modificado  
Fórmula Untable que se Aplica Fácilmente  
aún bajo el Agua.*

- COMPLIANCE:
- ASTM D6511
  - ASTM D4586
  - ASTM D3409
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 128 All-Pro SBS Rubberized Flashing Cement

Thick Trowel Grade  
Will Not Run or Sag

*Grado Espeso para Espátula  
No se Corre ni se Hunde*

- COMPLIANCE:
- ASTM D4586
  - ASTM D3409
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



\*\*Available in: SG, IG, WG



## APOC 133 Pro-Lastic® SBS Modified Flashing Cement

Premium SBS Modified Cement  
Superior Adhesion, Lap Strength & Sag Resistance

*Cemento modificado SBS de primera calidad  
Adherencia superior, fuerza en el solapado y resistencia  
al doblégar*

- COMPLIANCE:
- ASTM D4586
  - ASTM D3409
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



\*\*Available in: SG, IG, WG



## APOC 365® Eterna-Flash® All Weather SBS Flashing Cement

E-Z Spread Trowel Grade Formula  
Highly Rubberized Solvent-Based Mastic

*Fórmula fácil de aplicar  
Masilla basada en un solvente altamente modificado  
con hule*

- COMPLIANCE:
- ASTM D4586
  - ASTM D3409
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



\*\* Designates Products Available in:  
SG - Summer Grade, IG - Intermediate Grade, and WG - Winter Grade



## ▶ APOC® 365® ETERNA-FLASH® All Weather/All Season SBS Flashing Cement

APOC® 365® is an extremely versatile, highly modified rubberized mastic that is specially formulated for the professional roofer. APOC 365 provides superior adhesion to wet surfaces while at the same time has sag resistance characteristics in warmer climates. APOC 365 ETERNA-FLASH provides an 'E-Z Spread' durable repair compound that is ideal for repairs in any weather condition.

Use 365. It's the only mastic you'll ever need.

# ROOF ADHESIVES

ADHESIVOS PARA TECHOS



## APOC 107 Fibrex® Cold Process Cement & Adhesive

Bonds Rolled Roofing & Granules  
Interply Adhesive in Cold Systems

*Pega el techado enrollado y los granulos  
Adhesivo para interlaminaciones en los sistemas frios*

- COMPLIANCE:
- ASTM D3019
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 136 DuraBond® MBA Elastomeric Adhesive

Tenacious Tack & Lap Strength  
Highly Modified SBS Interply Adhesive

*Con fuerza superior para el solapado  
Adhesivo SBS altamente modificado para interlaminaciones*

- COMPLIANCE:
- ASTM D3019
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



# ROOFING, WATERPROOFING & DAMPPROOFING

TECHUMBRES, IMPERMEABILIZANTES Y PROTECTORES CONTRA HUMEDAD



## APOC 200 Rainshield®-NF Non-Fibered Roof & Foundation

Prevents Rust & Oxidation  
Use on Roofs, Foundations & Many Other Surfaces

*Previene el Moho y la Oxidación  
Úselo en Techos, Cimientos y Muchas Otras Superficies*

- COMPLIANCE:
- ASTM D3019
  - Asbestos Free



## APOC 202 Rainshield®-F Fibered Roof & Foundation

Rejuvenates Worn Surfaces  
Fiber Reinforced for Increased Durability

*Reforzado con Fibra que Incrementa su Durabilidad  
Úselo en Techos, Cimientos y Muchas Otras Superficies*

- COMPLIANCE:
- ASTM D4479
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 300 Non-Fibered Asphalt Emulsion

Great for Below-Grade Dampproofing  
Use with Polyester or Chopped Glass

*Revestimiento asfáltico para techo y cimientos  
Útilice con poliéster y vidrio cortado*

\*Available in Spray Grade (275 Tote)

- COMPLIANCE:
- ASTM D1227
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 302 Weather-Proof Fibered Asphalt Emulsion

Excellent Base Coat for Polyester Systems  
Brush Grade for Below-Grade Dampproofing

*Excelente recubrimiento base para sistemas con poliéster  
Aplicarlo con cepillo para cubrir cuarteaduras*

- COMPLIANCE:
- ASTM D1227
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 305 Dampproofing Mastic

Ideal for Below-Grade Dampproofing  
Thick Trowel Grade, Emulsion-Based Mastic

*Ideal para impermeabilización en cimientos  
Masilla de calidad gruesa aplicada con paleta*

- COMPLIANCE:
- ASTM D1227
  - Asbestos Free



## APOC 337 Bitucrylic™ Elastomeric Asphalt Emulsion

Ideal for Metal Roofs or Roofs With Movement  
Excellent for Use in Waterways & Prior to Reflective Coatings

*Ideal para techos de metal o techos con movimiento  
Excelente para uso en vías fluviales antes de aplicar los  
recubrimientos reflectivos*

- COMPLIANCE:
- ASTM D1227
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 525 ArmorFlex® Thermoplastic Surfacing Compound

Withstands Ponding Water  
Ideal for Waterproofing BUR, Coal Tar Modified & Gravel Roofs

*Resiste la acumulación de agua  
Ideal para la impermeabilización de techos BUR, de brea de  
carbón y de grava*

- COMPLIANCE:
- ASTM D3019
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - SCAQMD Compliant  
Version Available



## Protection Panels

Sheet Size: 4' x 8', other sizes available  
Panel Thicknesses: 1/4", 3/8", 1/2"

- COMPLIANCE:
- ASTM E96
  - ASTM D6506

Won't Rot or Degrade & Impervious to Water  
Great as a Re-Cover Board & Below-Grade System Protector

*No se deteriorará ni se degenerará y es impermeable a  
la humedad*

*Excelente como tablero de recubierto y para proteger los  
sistemas debajo del nivel del suelo*



## Bridge-Dek

Sheet Size: 4' x 8'  
Panel Thicknesses: 1/8", 1/4", 3/8", 1/2"

Ideal for Use in Bridge and Railway Construction  
Protects Waterproofing Membrane from Puncture

*Ideal para uso en la construcción de puentes y  
líneas ferroviarias*

*Protege contra perforaciones en membranas impermeabilizadoras*

- COMPLIANCE:
- ASTM D517
  - Meets all A.R.E.M.A.  
Specifications

# ACRYLIC / ELASTOMERIC COATINGS

RECUBRIMIENTOS ACRÍLICOS REFLEJANTES Y FRESCOS



## APOC 232

### Insta-Kote® MB Ultra Cool Premium Elastomeric Roof Coating

Prevents Bleed Through  
Ideal Base Coat with Exceptional Adhesion

Previene exudación

Es ideal como recubrimiento de base con una adherencia excepcional

- COMPLIANCE:
- CRRC Listed
  - Title 24
  - ASTM D6083
  - UL Classified
  - Asbestos Free



## APOC 246

### Kool-Armor® Bright White Elastomeric Roof Coating

Elastic Roof Coating  
Extends Roof Life & Reduces Cooling Costs

Recubrimiento elástico para techos

Extiende la vida útil del techo y reduce el costo de enfriamiento

- COMPLIANCE:
- CRRC Listed
  - Title 24
  - ASTM D6083
  - Energy Star
  - Asbestos Free
  - Miami-Dade Approved



## APOC 247

### Sun-Shield® White Reflective Roof Coating

Elastic Roof Coating  
Extends Roof Life & Reduces Cooling Costs

Recubrimiento elástico para techos

Extiende la vida útil del techo y reduce el costo de enfriamiento

- COMPLIANCE:
- CRRC Listed
  - Title 24
  - ASTM D6083
  - Energy Star
  - Asbestos Free
  - Miami-Dade Approved
  - FBC Approved



## APOC 248


### Arizona® White High Performance Elastomeric Roof Coating

Highly Reflective to Cool Roof Surfaces  
Helps Reduce Energy Usage & Extends Roof Life

Altamente reflejante para enfriar las superficies de techos

Ayuda reducir el uso de energía y a extender la vida útil del techo

- COMPLIANCE:
- CRRC Listed
  - ASTM D6083
  - Energy Star
  - Asbestos Free
  - FBC Approved
  - Title 24
  - UL Classified
  - Miami-Dade Approved



## APOC 252

### Sunwhite® Premium Elastomeric Roof Coating

Highest Reflectivity, Tensile and Elongation  
Drastically Reduces Roof Temperature & Cooling Costs

La más alta reflectividad, extensibilidad y elongación

Reduce radicalmente la temperatura del techo y los costos de la refrigeración

- COMPLIANCE:
- CRRC Listed
  - ASTM D6083
  - Energy Star
  - Asbestos Free
  - FBC Approved
  - Title 24
  - UL Classified
  - Miami-Dade Approved




## APOC 258

### Liquid Titanium® Elastomeric Coating

Premium Quick Set White Acrylic Coating

Recubrimiento acrílico blanco premium de fraguado rápido

- COMPLIANCE:
- CRRC Listed
  - Title 24
  - ASTM D6083
  - Energy Star
  - Asbestos Free
  - Miami-Dade Approved
  - FBC Approved



## APOC 273

### Cool-Gray Premium Elastomeric Roof Coating

Exceptional Tensile Strength & Elongation  
Cool Gray Finish to Reduce Roof Temperature

Resistencia excepcional a tracción y elongación

Acabado gris para reducir la temperatura del techo  
\*Special Order Only / Solamente orden especial

- COMPLIANCE:
- CRRC Listed
  - Title 24
  - ASTM D6083
  - UL Classified
  - Energy Star
  - Asbestos Free



## APOC 274

### Cool-Tan Premium Elastomeric Roof Coating

Exceptional Tensile Strength & Elongation  
Cool Tan Finish to Reduce Roof Temperature

Resistencia excepcional a tracción y elongación

Acabado color café claro para reducir la temperatura del techo  
\*Special Order Only / Solamente orden especial

- COMPLIANCE:
- CRRC Listed
  - Title 24
  - ASTM D6083
  - Energy Star
  - UL Classified
  - Asbestos Free



# ALUMINUM COATINGS

RECUBRIMIENTOS DE ALUMINIO



## APOC 207

### Silver Guard®-NF Non-Fibered Aluminum Roof Coating

EZ-Stir Technology  
Bright Silver Protective Coating  
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante  
Ideal para las membranas BUR, de metal y modificadas

- COMPLIANCE:
- ASTM D2824
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 208

### Silver Guard®-F Fibered Aluminum Roof Coating

EZ-Stir Technology  
Bright Silver Protective Coating  
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante  
Ideal para las membranas BUR, de metal y modificadas

- COMPLIANCE:
- ASTM D2824
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 211

### Liquid Silver®-NF Non-Fibered Aluminum Roof Coating

EZ-Stir Technology  
Bright Silver Protective Coating  
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante  
Ideal para las membranas BUR, de metal y modificadas

- COMPLIANCE:
- ASTM D2824
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 212

### Liquid Silver®-F Fibered Aluminum Roof Coating

EZ-Stir Technology  
Bright Silver Protective Coating  
Ideal for BUR, Metal & Modified Membranes

Tecnología EZ-Stir

Recubrimiento protector color plata brillante  
Ideal para las membranas BUR, de metal y modificadas

- COMPLIANCE:
- ASTM D3805
  - ASTM D2824
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 400

### Sunbrite® Aluminum Emulsion Coating

Highly Reflective & Easier Application  
Ideal for BUR, Metal & Modified Membranes

Recubrimiento de aluminio engomado de alta resistencia  
Ideal para los sistemas de techos metálicos y modificados

- COMPLIANCE:
- ASTM D6848
  - UL Classified
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 535

### Silvershield Premium SEBS Aluminum Coating

Ideal for Metal & Modified Roof Systems  
Heavy Duty Rubberized Aluminum Coating

Ideal para los sistemas de techos metálicos y modificados  
Recubrimiento de aluminio engomado de alta resistencia

- COMPLIANCE:
- ASTM D2824
  - Asbestos Free



# SILICONE & SPECIALTY COATINGS

SILICONES Y RECUBRIMIENTOS ESPECIALES



## APOC 545

### EternaFlex® White Thermoplastic Liquid Rubber Coating

Ultra Premium Liquid Rubber Coating  
Ideal for Metal, Single Ply\* & Other Roof Systems

*Recubrimiento de hule líquido de ultra primera calidad  
Ideal para los techos metálicos, techos de una capa y otros  
sistema de techos*

\*Check type & manufacturer

- COMPLIANCE:
- CRRC Listed
  - ASTM D6083
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 585

### Armor Flex® White Liquid Silicone Roof Membrane

Moisture Cure & High Solids  
Pond-Proof® Technology for Standing Water Protection

*Curador de Humedad y Altos Sólidos  
Pond-Proof® Tecnología para Protección Permanente  
del Agua*

- COMPLIANCE:
- CRRC Listed
  - ASTM D6694
  - FBC Approved
  - Asbestos Free
  - FBC Approved
  - Title 24
  - UL Classified
  - Miami-Dade Approved



## The Cool Roof Experts™



Church of the Nazarene

APOC is a leader in environmental design and cool roof technology. With increasing population and soaring energy demand, cool roofs provide relief to a world filled with energy challenges.

As a charter member of the CRRC and the ENERGY STAR programs, APOC is committed to cool roofing and providing solutions to roofing contractors, building owners, facility managers and property management companies.



# PRIMERS

MPREGNADORES



## APOC 103

### Premium Asphalt Primer

High Penetrating Formula  
Provides Superior Adhesion of Roofing Materials

*Fórmula de alta penetración  
Proporciona adherencia superior en materiales de techado*

- COMPLIANCE:
- ASTM D41
  - Compliant with SCAQMD
  - Miami-Dade Approved
  - Asbestos Free
  - FBC Approved



## APOC 290

### Self Adhered Membrane Primer

Quick Dry Water Based Formula  
Promotes Adhesion Over Wood & Concrete

*Fórmula Base Agua de Secado Rápido  
Promueve la Adherencia entre la Madera y el Concreto*

- COMPLIANCE:
- Asbestos Free



## APOC 291

### Rust Inhibiting Primer

Inhibits Rust Formation  
Improves Long Term Performance

*Inhibe la formación de óxido  
Mejora el rendimiento a largo plazo*

- COMPLIANCE:
- Asbestos Free



## APOC 295

### Super Prime™ High Strength Adhesive Primer

Improves Adhesion  
Improves Long Term Performance

*Mejora la adhesión  
Mejora el rendimiento a largo plazo*

- COMPLIANCE:
- Asbestos Free



## APOC 296

### Single Ply Adhesive Primer

Improves Adhesion  
Improves Long Term Performance

*Mejora la adhesión  
Mejora el rendimiento a largo plazo*

- COMPLIANCE:
- Asbestos Free



## APOC 299

### Incredible Primer & Adhesion Promoter

Ideal for Cold Weather Conditions  
Improves Adhesion & Bonding Strength

*Ideal para Condiciones de Climas Fríos  
Mejora la Adherencia y Uniones de Resistencia*

- COMPLIANCE:
- VOC Compliant



## APOC 583

### Armor-Base™

Helps Reduce Bleedthrough  
Prepares Surface for Silicone Coatings

*Ayuda a reducir el taponamiento  
Prepara la superficie para los recubrimientos de silicona*

- COMPLIANCE:
- Asbestos Free



# ROOF & CONSTRUCTION SEALANTS & ADHESIVES

SELLADORES Y ADHESIVOS PARA TECHOS Y CONSTRUCCIÓN



## APOC AP-1 Green-Seal® Heavy Duty Construction Sealant & Adhesive

Permanent Leak, Moisture & Air Barrier Sealant  
Ideal for Bonding & Sealing Construction Materials

*Barrera Permanente Contra Goteras, Humedad y Aire  
Ideal para Unir y Sellar Materiales de Construcción*

COMPLIANCE:  
• ASTM C920

Available in White & Gray



## APOC 264 FLASH N' SEAL® Roof & Flashing Sealant

Water Based Cement  
PolyCryl™ Hybrid Technology

*Cemento Base Agua  
PolyCryl™ Tecnología Híbrida*

COMPLIANCE:  
• ASTM D1475  
• ASTM D2196  
• ASTM D2939  
• TAS 139  
• Miami-Dade Approved  
• Asbestos Free  
• FBC Approved



## APOC 501 Super-flash® Thermoplastic Flashing Cement

50 Year Durability & Watertight Guarantee  
Compatible with Virtually Any Roof Surface

*Garantía de durabilidad y impermeabilidad de 50 años  
Compatible con prácticamente cualquier superficie de techo*

COMPLIANCE:  
• ASTM D4586  
• ASTM D3509  
• ASTM D6511  
• Miami-Dade Approved  
• Asbestos Free  
• FBC Approved



## APOC 515 Liquid Flash® Permanent Detail Sealant

Solvent Free, Moisture Cure Polymers  
Excellent Adhesion to Pitch Pans, Pipes & Seams

*Libre de Solventes, Polímeros Curadores de Humedad  
Excelente Adherencia en Bandejas de Calafateo, Tuberías y Traslapes.*

COMPLIANCE:  
• Asbestos Free  
• FBC Approved



Minimums & Additional Lead  
Time for 2 Gallon Pails & Colors.  
\*12 Gray Sausages per Pail



## APOC 581 Armor Flash™ 100% Silicone Patch & Sealant

Solvent Free, Single Component  
Versatile Application

*Libre de Solvente, Componente Único  
Aplicación versátil*

COMPLIANCE:  
• Asbestos Free



## APOC 5070 EverClear™ Tri-Polymer

Trowel Grade  
Highly Flexible & Elastic

*Aplicación con llana  
Altamente flexible y elástico*

COMPLIANCE:  
• Asbestos Free



## APOC 5075 EverClear™ Tri-Polymer

Brush Grade  
Highly Flexible & Elastic

*Aplicación con brocha  
Altamente flexible y elástico*

COMPLIANCE:  
• Asbestos Free



## APOC 5800 100% Silicone Sealant & Adhesive

Medium Modulus  
Use on Windows, Doors & High Temp Pipes

*Módulo Medio  
Úsalo en Ventanas, Puertas y Tuberías de Altas  
Temperaturas*

COMPLIANCE:  
• TT-S-001543A  
• TT-S-00230C  
• ASTM C920  
• Asbestos Free



Available in Clear, Gray, & White

# APOC ACCESSORIES

ACCESORIOS APOC



## Incredible® Tape Black, Fleece Top, & White

Metal Roof Flashings  
Single Ply Seams & Repair

*Tapajuntas Metálicas de Techos  
Cinta Simple que Sella y Repara*

Available Widths: 12", 6", 4", 2"



## Incredible® Tape Double Sided

Nano Sealant Technology  
Ideal for Seams on Metal & Single Ply Roof Systems

*Sellador de Nanotecnología  
Ideal para sellar sobre metal y con sistemas de membrana simple*

Available Widths: 2", 1"



## APOC 470 Cotton Asphalt Saturated Reinforcing Fabric

For BUR Split Repair & Flashing  
Use With Asphalt Flashing Cements

*Úsalo con Cementos Tapajuntas de Asfalto  
Para Reparación de Cuarteaduras y Tapajuntas*

4 lb./sq.  
Widths: 12", 9", 6", 4", 3"  
Special Order: 18", 24", 36"




## APOC 483 Polyester Reinforcing Fabric

Works with Emulsion & Solvent Systems  
Reinforces and Adds Strength & Durability

*Trabaja con sistemas de emulsión y solventes  
Refuerza y agrega resistencia y durabilidad*

3 oz./sq. yd.  
Available Widths:  
40", 20" 12", 6", 4"  
Also Available in  
Firm (482F) & Soft (482S)



## APOC 567 Pro-Tac Reinforced Self Adhering Membrane

Excellent Flashing Ply  
Self-Adhered for Easy Application Without Mechanical Fasteners

*Excelente Membrana Tapajuntas  
Auto adherible para una fácil aplicación sin sujetadores mecánicos*


Available Widths: 36", 12"



## 50lb Fiberglass Roving

For Chopped Application Use  
Reinforces Emulsion Systems for Seamless Surfaces

*Se aplica con los sistemas basados en emulsiones  
Refuerza el recubrimiento para las superficies de techos sin costura*



## DEK-TOP® Walkways Pads

Ideal Around Roof Hatches & HVAC Units  
Protects Roof Membrane from Costly Damage

*Protege la membrana del techo de daños costosos  
Ideal alrededor de escotillas del techo y unidades HVAC*

COMPLIANCE:  
• ASTM D517  
• ASTM E108

Sheet Size: 3' x 4'  
Panel Thicknesses: 1/2", 3/4", 1"

# FELTS & UNDERLAYMENTS

FELPAS Y SUBYACENTES



## APOC 26 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology  
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®  
Excelente subyacente para techos escalonados muy  
inclinados*

- COMPLIANCE:
- Type II #30
  - ASTM D226
  - CSA A123.3-05
  - UL Classified
  - FBC Approved
  - Miami-Dade Approved

Available Size: 36" x 72'

A saturated felt for roofing systems classified by Underwriters Laboratories, Inc. as to external fire exposure only #R11333.



## APOC 29 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology  
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®  
Excelente subyacente para techos escalonados muy  
inclinados*

- COMPLIANCE:
- Type II #30
  - ASTM D4869
  - CSA A123.3-05
  - UL Classified

Available Size: 36" x 72'



## APOC 46 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology  
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®  
Excelente subyacente para techos escalonados muy  
inclinados*

- COMPLIANCE:
- Type I #15
  - ASTM D226
  - CSA A123.3-05
  - UL Classified
  - FBC Approved
  - Miami-Dade Approved

Available Size: 36" x 144'

A saturated felt for roofing systems classified by Underwriters Laboratories, Inc. as to external fire exposure only #R11333.



## APOC 49 Tuff-Felt® Premium Underlayment

Tru-Breathe® Technology  
Excellent Underlayments for Steep-Slope Roofing

*Tecnología Tru-Breathe®  
Excelente subyacente para techos escalonados muy  
inclinados*

- COMPLIANCE:
- Type I #15
  - ASTM D4869
  - CSA A123.3-05
  - UL Classified

Available Size: 36" x 144'



## Gator-Skin™ Synthetic Roof Underlayment

120 Day UV Exposure  
Lightweight, Easy & Fast to Install

*120 días de exposición a los rayos ultravioleta  
Ligero, fácil y rápido de instalar*

- COMPLIANCE:
- ASTM D4869
  - ASTM D226
  - TDI Listed
  - UL Classified
  - FBC Approved
  - Miami-Dade Approved

Available Size: 42" x 258.8'



## CX-L CrossOver™ Hybrid Roof Underlayment

Greater Uplift with Fewer Fasteners  
Waterproof & Nail Sealable Membrane

*Mayor elevación con menos sujetadores  
Membrana impermeable con sellado alrededor de los clavos*

- COMPLIANCE:
- ASTM D4869
  - ASTM D226
  - ASTM D1970
  - UL Classified
  - FBC Approved
  - Miami-Dade Approved

Available Size: 37.25" x 145'



## SB-1 Self-Bond™ Ice & Water Roof Underlayment

Ideal under Shingles, Slate, Wood Shake, & Other  
Anti-Slip Granular Surface Featuring Safe-Step™ Technology

*Ideal para el uso debajo de tejas de madera, pizarras, tablillas de  
madera, tejas y otros*  
Superficie granular antideslizante con tecnología Safe-Step™

- COMPLIANCE:
- ASTM D1970
  - UL Classified
  - TDI Listed
  - FBC Approved
  - Miami-Dade Approved

Available Size:  
Approx. 2 squares



## FT³ Fleece-Top™ Tile Roof Underlayment

Heavy Duty Polyester for Foam or Mechanical Attachment  
RST® Reinforced Seam Technology for Added Strength

*Poliéster de alta resistencia para fijación mecánica o de espuma  
Tecnología de unión reforzada RST® para una mayor resistencia*

- COMPLIANCE:
- ASTM D1970
  - FBC Approved
  - Miami-Dade Approved

Available Size:  
Approx. 2 squares



## HT³ High Temperature Metal Roof Underlayment

Withstands Extreme Heat & High Temp Applications  
Cross Laminated Film for Superior Weathering

*Soporta el calor extremo y las aplicaciones de alta temperatura  
Película laminada para una resistencia superior a la intemperie*

- COMPLIANCE:
- ASTM D1970
  - UL Classified
  - TDI Listed
  - FBC Approved
  - Miami-Dade Approved

Available Size:  
Approx. 2 squares



### ▶ APOC® SB-1 Self-Bond™ Underlayment

SB-1 Self-Bond™ Roof Underlayment is your premium, all-purpose roof underlayment and leak barrier. SB-1 Self-Bond underlayment is ideal for use under shingle, slate, wood shake and other steep slope roofing materials. Engineered with high strength reinforcement, exceptional elasticity and a non-skid mineral finish, SB-1 provides a highly rubberized and flexible waterproofing membrane that helps keeps your home or building dry and provides a cleaner and healthier environment to live in. APOC Weather-Armor SB-1 Self-Bond roof underlayment can be used over an entire roof deck or for sealing critical areas on your roof such as perimeter edges, valleys, details, metal joints and penetrations.

**APOC**

A Division of Gardner Industries

Corporate Headquarters

P.O. Box 5449

Tampa, FL 33675

East

(813) 248-2101

West

(562) 423-6471

[www.apoc.com](http://www.apoc.com)

▶ **The Choice of Top Professionals®**

